.videoloft

Installation Guide

Uniview

1. Pre-installation

1.1	What you'll need	2
1.2	Compatible hardware	2
1.3	Pre-configuration of IP cameras recording directly to the cloud (no local NVR/DVR)	2
1.4	Pre-configuration of DVR/NVR	2
2.	Cloud Adapter set up	3
3.	Installation	
3.1	IP cameras recording directly to cloud (no local DVR/NVR)	5
3.2	Cameras recording to cloud + local DVR/NVR	6
3.3	Completing installation	8
	Appendices	
1	Uninstalling cameras from a Cloud Adapter	9
2	Deleting cameras from a Cloud Adapter and your account	10
3	Repairing a camera which is already installed	11
4	Unlinking a Cloud Adapter from your account	11

1. Pre-installation

1.1 What you'll need

- Videoloft Cloud Adapter and its Cloud ID.
- If the installation is Uniview cameras recording straight to the cloud (no local DVR/NVR), you'll need the username and password of the cameras.
- If the installation is backing up a Uniview NVR/DVR, you'll need the username, password and IP address of the recorder.
- A computer with access to the internet, or the latest version of the Videoloft app.

1.2 Compatible hardware


- Videoloft is compatible with all Uniview DVRs, NVRs and IP cameras with a substream.
- 1.3 Pre-configuration of IP cameras recording directly to the cloud (no local NVR/DVR)
 - Activate the camera by setting a password for the admin user.
 - Enable DHCP.

1.4 Pre-configuration of DVR/NVR

- Activate the recorder by setting a password for the admin user.
- Enable DHCP.

2. Cloud Adapter set up

- Connect the Ethernet cable to a spare port on your router (or use a switch if no ports are available), then to the Cloud Adapter.
- · Connect the Cloud Adapter to power after connecting to the internet.
- Ensure cameras are also connected to the same network and power.
- Wait 5 minutes before proceeding to the next step.
- Login to the Videoloft website. You can also run installations from the Videoloft mobile app if required.
- If there are no cameras installed on the account you'll see this screen, click 'Install cameras'.



• If there are already cameras on the account, go to 'Dashboard' and click 'Link new adapter'.

V	Sec	arch	Filters •							adapter Ac	tions C
දුරි Portal	•		Camera	Status	MAC address	Cloud recording	Recording mode	Recorded video quality	Analytics	Tags	
Live		• 👌 Test (4	r3JMHe)						다. Add cameras	🖇 Repair	🔀 Unlink
Scients	•		Driveway / garage	Online	fc:b6:9d:03:26:63	On	24/7 continuous	8MP	On		
Playback			Side path	Online	2c:a5:9c:0d:7d:5b	On	24/7 continuous	8MP	On		
Dashboard	•		Porch	Online	ec:c8:9c:3c:2c:64	On	24/7 continuous	8MP	On	Home	
			Garden	Online	10:12:fb:5f:33:2d	On	24/7 continuous	8MP	On	Home	
What's New	•		Shed / side door	Online	ec:c8:9c:3c:2d:07	On	24/7 continuous	8MP	On	Home	
Account		• 🖂 KDzo>	(4								
C→ Log Out	•	NEW	Corridor (4MP)	Online	54:c4:15:2b:ea:41	On	Motion triggered	2MP	On		
										Office	

Contact us if you have any questions: techsupport@videoloft.com

• Enter the Cloud ID and click 'Continue', note that the Cloud ID is case sensitive.

V	
ථි Portal	Enter Cloud ID
□] Live	
Events	Chevel B
	Cloud ID ()
Dashboard	eRyDVu
्री What's New	
C) Manage	
Log Out	Continue

• When the Cloud Adapter is discovered, it will be linked with the account. Click 'Continue'. Videoloft will then discover all cameras and recorders connected to the same network as the Cloud Adapter.

·V	
දුරි Portal	
□3 Live	
ې Events	Cloud Adapter eRyDVu linked to account.
() Playback	
Dashboard	Cloud By Children D
	Next we'll scan the Cloud Adapter's local network for compatible cameras, DVRs and NVRs.
¶ीः What's New	
ڑی) Manage	
Account	
Log Out	Unlink Continue

3. Installation

3.1 IP cameras recording directly to cloud (no local DVR/NVR)


- Select the required cameras and click Install. You'll be prompted for the camera username and password (or asked to set new ones if the cameras are brand new).
- Once the camera(s) are authenticated they will show as 'Ready to install' and the installation process will begin.

V	← Back to	dashboard						
				Cloud ID: eRyDVu	IPv4: 192.168.1.94			
උරි Portal				🖉 Scan complete. Selec	t devices to install			
] Live	Sean	ch		til Filters - ↓ Sort by S	Status			
¥⊊								Page 1 of 2 🔣 🔰
Events	•		Device	Status	MAC	IPv4	Serial no.	Manufacturer
-S Playback			IPC3514SR-ADF28KM-WP			192.168.2.2	2L04866PAG00411	Uniview
Dashboard	•	Ŧ	HIKVISION DS- 2CD2125FWD-I		4c:bd:8f:óf:3d:0c	192.168.1.11	813566861	Hikvision
	•	-	AXIS M3044-V		e0:50:8b:30:bd:f0	192.168.1.13	accc8e9947927	Axis
	•	-	HIKVISION DS- 2CD2785FWD-IZS		18:68:cb:bf:42:c1	192.168.1.14	771763281	Hikvision
ब्री What's New	•	J	HIKVISION DS- 2CD2T85FWD-I5		18:68:cb:b1:0d:41	192.168.1.16	767835661	Hikvision
(j) Manage	•	•	AXIS M1065-L		ac:cc:8e:68:90:35	192.168.1.17	accc8e689035	Axis
Account	•	6	HIKVISION DS-2CD2T42WDI8		ac:cc:8e:94:79:27	192.168.1.18	785216188	Hikvision Page 1 of 2 🔣 🔀
Log Out				Install	Add by IP			

V						
උරි Portal						
		-			-	Page 1 of 2
		Device	Login required	\otimes	IPv4	Manufacturer
	8	IPC3514SR-ADF2	Username*		192.168.2.2	
		HIKVISION E 2CD2125FW	admin		192.168.1.11	
		AXIS M304	Password*	Ø	192.168.1.13	
		HIKVISION E 2CD2785FW(Continue		192.168.1.14	
		HIKVISION E 2CD2T85FW			192.168.1.16	
۩} lanage						
						Hikvision
G og Out						Page 🚹 of 2. 💦 🚺

3.2 Cameras recording to the cloud + local DVR/NVR

• Select the required recorder. You'll be prompted for the DVR/NVR username and password.




			_	\otimes	Page 2 of 2
	Uniview NVR501-0	Login required	i .	68.1.211	
	HIKVISION DS-7208	Username*		68.1.212	
	HIKVISION DS-7208	admin		58.1.214	
	DHI-NVR4416-16	Password*	Ø	68.1.215	
	HIKVISION DS-7608			68.1.217	
	HIKVISION DS-7716	Continue		58.1.218	
					Page 2 of 2


• If your recorder doesn't automatically appear in the list, click on 'Add by IP'. Change type to 'Uniview', enter the IP address, and the DVR/NVR username and password, then click 'Continue'.

		14	⊘ Scan complete	Select devices to ins	tall	
					8	
			Type*			
			Uniview	~		
		HIKVISION DS-7208	IP Address*		68.1.214	
	Onvif	DHI-NVR4416-161	IP Address		68.1.215	
			Port*			
		HIKVISION DS-7608	80		68.1.217	
		HIKVISION DS-7716	Username*		68.1.218	
		DAHUA X51A1	admin		68.1.219	
		HIKVISION DS-7208	Password*	_	58.1.220	
	univiêw	IPC3614LR3-PF	Password	Ø	68.1.221	
			Continu	e		
		DAHUA HV-500			58.1.222	Dahua age 2 of 2 🔀

• Once authenticated, click the settings cog to choose which recorder channels you want to connect to Videoloft.




 $\mathsf{Continued}\,{\rightarrow}$



3.3 Completing installation


- Once you have selected all of the cameras you want to install, click 'Install' and stay on this screen for approximately 30 seconds while the cameras are connecting.
- Once the installation is complete, choose to 'View camera' or go 'Back to dashboard'.



Appendices

Apdx 1: Uninstalling cameras from a Cloud Adapter

- Uninstalling a camera will remove the link between the camera and Cloud Adapter and stop future recording, but will retain its already recorded video on your account.
- Go to 'Dashboard', select the camera you wish to uninstall, click 'Actions' and 'Uninstall camera'.



. V									
]] Live					Cloud recording		Recorded video quality		
Events									
Playback	(Bar	HIKVISION 5366 (1) (CA		Uninstall came	eras	× gered			
Dashbourd		UNIVIEW 0085 (1) (CA 1	Are you su	ure you want to uni This will	nstall 1 camera	? gered			
		UNIVIEW 0085 (2) (CA I	 Keep camer 	mera from Cloud A a on your account		gered			
न्द्रि What's New	364.1	UNIVIEW 0085 (3) (CA)	Keep record		install	gered			
(C) Manage		UNIVIEW 0085 (4) (CA 1.				gered			
Account									
E* Log Out									
<u>Terms</u> <u>Privacy</u>									

Contact us if you have any questions: <u>techsupport@videoloft.com</u>

Apdx 2: Deleting cameras from a Cloud Adapter and your account

- Deleting a camera will completely remove the camera from your Cloud Adapter and your account, including all recorded video.
- Go to 'Dashboard', select the camera you wish to delete, click 'Actions' and 'Delete camera'.

7	Sec	arch	11 Filters •				× 1 camera select	ed 🥝 Lini	k new adapt	ter Actions
3						Cloud		Recorded	Edit set	tings
	•		Camera	Status	MAC address	recording	Recording mode	video quality	Add tag	IS
5		🔹 🗁 NzajNk						D1 Add	Remove	0
ick			HIKVISION 5366 (1) (CA Nk)	Online	54:c4:15:d2:69:33	On	Motion triggered	SD		cameras ① Il cameras ①
ard			UNIVIEW 0085 (1) (CA NK)	Online	48:ea:63:b4:27:54	On	Motion triggered	4MP	Create	group
	•	22	UNIVIEW 0085 (2) (CA Nk)	Online	48:ea:63:b4:27:54	On	Motion triggered	4MP	Off	Fifth 25
lew		3541	UNIVIEW 0085 (3) (CA Nk)	Online	48:ea:63:b4:27:54	On	Motion triggered	8MP	Off	Fifth 25
ge	•	State	UNIVIEW 0085 (4) (CA NK)	Online	48:ea:63:b4:27:54	On	Motion triggered	8MP	Off	Fifth 25
nt										
ıt										
<u>s</u>										

.V	Sec	arch	III Filters •				X 1 camera selecte	ed Pu	nk navjadap	lei Acti	ons C
DJ Live						Cloud recording		Recorded video quality			
Events							×				
Playback		104	HIKVISION 5366 (1) (CA	Are you s	Delete camer sure you want to de		gered				
Dashboord			UNIVIEW DO85 (1) (GA		This will era from Cloud Ada		gered				
			UNIVIEW 0085 (2) (CA I	 Delete came Delete record 	era from your accou rded video	unt	gered				
(대응 What's New		3241	UNIVIEW 0085 (3) (CA I	Please type PLI PLEASE DELET	EASE DELETE in the b	ox below to proc	ceed.*				
کې Manage			UNIVIEW 0085 (4) (CA)		Cancel De	elete	gered				
E+ Log Out											
<u>Terms</u> <u>Privacy</u>											

Apdx 3: Repairing a camera which is already installed

- Repairing a camera re-runs the initial installation process and can be useful when troubleshooting problems causing no video to be recorded.
- · Go to 'Dashboard' and click 'Repair' next to the relevant Cloud Adapter.

V	Sec	arch	+11 Filters •					<i>⊕</i> Li	nk new adaş	oter Act	ons C
]] Live	•		Camera	Status	MAC address	Cloud recording	Recording mode	Recorded video quality	Analytics	Ŧ	ngs
Events		🗕 📄 NzajNk						app cC	d cameras	B Repair	🔆 Unlink
1) Playback	•		HIKVISION 5366 (1) (CA NK)	 Online 	54:c4:15:d2:69:33	On	Motion triggered	SD	Off		
Dashboard			UNIVIEW 0085 (1) (CA Nk)	Online	48:ea:63:b4:27:54	On	Motion triggered	4MP	Off	Fifth 25	
	•	22	UNIVIEW 0085 (2) (CA NK)	Online	48:ea:63:b4:27:54	On	Motion triggered	4MP	Off	Fifth 25	
위: /hat's New		3041	UNIVIEW 0085 (3) (CA NK)	Online	48:ea:63:b4:27:54	On	Motion triggered	8MP	Off	Fifth 25	
(C) Manage	•	Steals.	UNIVIEW 0085 (4) (CA NK)	Online	48:ea:63:b4:27:54	On	Motion triggered	8MP	Off	Fifth 25	
Account											
Log Out											
<u>Terms</u> <u>Privacy</u>											

Apdx 4: Unlinking a Cloud Adapter from your account

- Unlinking a Cloud Adapter from your account removes the connection of the camera and associated Cloud Adapter. This should only be done if you wish to move a Cloud Adapter to another account.
- Go to 'Dashboard' and click 'Unlink' next to the relevant Cloud Adapter.

.V	Sec	arch) Filters +						⊘ Link new adapter Amoune C		
□0 Live							Cloud recording		Recorded video quality			ags
۲ <u>د</u> Events												X Unlink
Playback		-	HIKVISIC	DN 5366 (1) (CA Nk)	Online	54:c4:15:d2:69:33	On	Motion triggered	SD ×			
(2) Dochboard			UNIVI			Unlink Cloud Add						
			Unlinking will uninstall all cameras from the Cloud Adapter. This should only be performed if you wish to move the Cloud Adapter to another account. Cancel Continue									
¶्रीई What's New		Bint										
(j) Manage												
Account												
Cog Out												
<u>Terms</u> <u>Privacy</u>												

Contact us if you have any questions: techsupport@videoloft.com